

DOMO SAFETY

11th September 2014

"Enhancing the way we take care about each other"

Cost savings and ethical concern using monitoring system in private home

Prevention – early detection of incidents



ANNECY — Plus de peur que de mal pour une octogénaire d'Annecy, en France voisine. Après une chute dans son appartement, elle passe trois jours sans boire et sans manger, la tête immobilisée sous un radiateur.

Par Christine Talos, Mis à jour à 10h54





Limitation of panic button



DomoCare — how it works


 Our gateway communicates with our servers via GSM or Ethernet




- The system collects and analyzes the data received, the algorithm reacts to different levels of information:
 - Emergency and Prevention








Mobility and simple flow of information increases response time



An evolutive and personalized system

Learning activities



Evaluation and validation by health care professional



Messages reaches out and connects the relevant environment of caregivers

Emergency

- Fall at night
- Panic button
- Smoke
- No movement for a period of time



7/7 – call center / family

Prevention short term

- Sleep cycles changes
- Outings frequency changes



Nurse


Prevention long term

General health state degradation



Nurse / Doctor

Implementation a monitoring system has challenges









Pilot Case settings being a sample of elderly persons affiliated to an health care institution



- 40 elderly persons
- 2 public home care organization
- 12 nurses
- 3 selection criteria
 - 65+
 - Affiliate to a health care service
 - Understanding French
- Period 9 month (June 2013 to February 2014)
- RAI-HC tool for evaluation
- More than 10'000 days analyzed
- 2 installers partners

Socio- demographic data


∨ariables	Total (n=40)	Morges (n=18)	Yvonand (n=22)	р
Âge - moyenne (<i>ET</i>) Min – Max	84,5 (7, <i>5</i>) 62 - 96	85,3 (6,1) 75 - 95	83,9 (8,7) 62 – 96	0,577
Genre Homme Femme	13 27	7 11	6 16	0,435
État civil Célibataire Marié-e Veuf-ve Séparé/divorcé-e	4 3 29 4	0 0 14 4	4 3 15 0	0,030*
Cohabitation Seul(e) Avec conjoint Avec conjoint et autres Avec enfants / membre famille	34 2 1 3	17 0 0 1	17 2 1 2	0,457
Habitation Appartement/maison privé sans aide CMS Appartement/maison privé avec aide	5 32	4 14	1	0,083
CMS Logement encadrés CMS	3	0	3	

Health conditions



- Memory loss 20%
- Cognitive impairments 33%
- Average of 8 medicine pills taken per day

Detect a frail earlier allows to avoid an incident that could cause a sudden loss of autonomy



Adapt into the care process of different organisations

	Territory 1	Territory 2	Total
Emergency	29	25	54
Prevention short term	223	131	354
Prevention long term	302	98	400
Total	554	254	808

- Territory 2 acknowledges more alarms due to quicker process handled by referent nurses
- It represents 3 messages per day in average for both location

2 examples of situations

- Not severe home care service 1x per day
 - Elderly person: No need of visit every day
 - Nurse: Changed the number of visits
- Severe home care service 2x per day
 - Elderly person: change in sleep cycle
 - Ergotherapist: enhance environement

Ethical concerns



- Data are sensitive
- Data shall be anonymized
- Data shall be encrypted end-to-end
- Data shall be located inside the country
- -> IT infrastructure shall be well though
- -> 3rd party might be involved to assess given architecture



- Intrusion in private sphere
- Access of data from nurses or family
- -> Ethical committee
- -> No camera, no microphone installed
- -> Access to graph only when an alert has been generated

Who shall access to which information?



Cost savings example: Fire detection

- CH 20'000 home fire per year / 40 dead- 200 wounded > Cost 600 millions CHF
- 30 % of fire due to negligence
- DomoSafety: 40 people at risk 13 smoke alarm, 7 intervention by firemen

Health Care institution

- Permits to decrease the number of security visits
- Allows to increase the number of customers

Public Health State

 Decrease health costs by avoiding or postpone hospitalization (one day in hospital costs at least 1'000 EUR)

Nurse

 Give objective data in real time allowing her to adapt quicker the care service

Family

 An elderly staying at home longer costs less than a nursing home

Home Safe Home

















